

To: Mears, Mary[Mears.Mary@epa.gov]; Shore, Berry[Shore.Berry@epa.gov]
From: Enck, Judith
Sent: Sat 6/4/2016 9:35:35 PM
Subject: Fwd: Google Alert - PFOA

Sent from my iPhone

Begin forwarded message:

From: Google Alerts <googlealerts-noreply@google.com>
Date: June 4, 2016 at 4:02:04 PM EDT
To: enck.judith@epa.gov
Subject: Google Alert - PFOA

PFOA

Daily update ☐ June 4, 2016

NEWS

High PFOA levels in blood of Hoosick-area residents

Albany Times Union

Traces of the chemical, perfluorooctanoic acid or **PFOA**, were detected in water supplies in those communities at levels far above those recommended ...

[DOH releases PFOA information - WRGB](#)

[Average Hoosick Falls resident has ten times more PFOA in blood than average American - WNYT](#)

[DEC holds St. Gobain, Honeywell responsible for Hoosick Falls PFOA contamination - NEWS10 ABC](#)

[Full Coverage](#)



[Flag as irrelevant](#)

DES holds meeting on PFOA contamination in Bedford

WMUR Manchester

The Department of Environmental Services held a public information meeting after several private wells near the Saint-Gobain Plastic plant showed ...



[Flag as irrelevant](#)

What does PFOA/PFOS water contamination mean for my health?

whnt.com

WEST MORGAN – EAST LAWRENCE, Ala. (WHNT) – There's a lot of confusion right now over the safety of the water in the West Morgan and East ...

[North Alabama drinking water contamination: What you need to know - AL.com](#)

[Water authority attorney responds to Governor's statement on water quality - WAAY](#)

[Gov. Bentley: No water crisis in north Alabama - AL.com](#)

[Full Coverage](#)

   [Flag as irrelevant](#)

[Report Abuse](#)

Officials: Elevated levels of **PFOA** measured near landfill

Washington Times

SALEM, N.H. (AP) - Well monitoring has detected elevated levels of potentially cancer causing chemicals near a former landfill in Salem, ...

[Officials: Elevated levels of **PFOA** measured near landfill](#) - Hastings Tribune
[Chemicals in Salem water linked to old landfill](#) - Eagle-Tribune

[Full Coverage](#)

   [Flag as irrelevant](#)

[The Canberra Times](#)

Potentially cancer-causing contaminant PFOS found at Sydney Airport

The Canberra Times

"PFOS and **PFOA** were also found in water and sediments in waterways adjacent to current and former fire training ground sites," Professor Taylor's ...

   [Flag as irrelevant](#)

[Report Abuse](#)

Elevated Levels of PFCs Found Near Former Salem Landfill

Patch.com

"The test results showed that the groundwater samples contained **PFOA** concentrations ranging from 2.5 parts per trillion (ppt) to 560 ppt, and PFOS ...

   [Flag as irrelevant](#)

[Report Abuse](#)

Tempe takes corrective action to meet EPA water regs

Wrangler News

The decision came after the federal Environmental Protection Agency issued a new health advisory for two chemical compounds—**PFOA** and ...

   [Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)